

L . Number	Hits	Search Text	DB	Time stamp
-	7	(plurality with pixels with matrix) same (switching with element) same (light with emitting)	USPAT; EPO; JPO; DERWENT	2004/02/27 11:39
-	3194	(source with signal with lines) same (power with supply with lines)	USPAT; EPO; JPO; DERWENT	2002/08/30 12:10
-	1	((source with signal with lines) same (power with supply with lines)) same (conductive with coating)	USPAT; EPO; JPO; DERWENT	2002/08/30 12:45
-	0	((source with signal with lines) same (power with supply with lines)) and 257/88.ccls.	USPAT; EPO; JPO; DERWENT	2002/08/30 12:46
-	479	257/88.ccls.	USPAT; EPO; JPO; DERWENT	2002/08/30 12:47
-	9	257/88.ccls. and (source with signal with lines)	USPAT; EPO; JPO; DERWENT	2002/08/30 13:06
-	1037	electroplat\$3 with coat\$3 with conductive	USPAT; EPO; JPO; DERWENT	2002/08/30 16:24
-	10	(electroplat\$3 with coat\$3 with conductive) and (light with emitting)	USPAT; EPO; JPO; DERWENT	2002/08/30 13:17
-	64	(electroplat\$3 with coat\$3 with conductive) same (cu or al or au or ag)	USPAT; EPO; JPO; DERWENT	2002/08/30 13:18
-	11	(electroplat\$3 with coat\$3 with conductive) same (reduc\$3 with resistance)	USPAT; EPO; JPO; DERWENT	2002/08/30 16:32
-	6	(electroplat\$3 with reduc\$3 with resistance) same (cu or al or au or ag)	USPAT; EPO; JPO; DERWENT	2002/08/30 16:34
-	140	electroplat\$3 with reduc\$3 with resistance	USPAT; EPO; JPO; DERWENT	2002/08/30 16:37
-	2	5726461.pn.	USPAT; EPO; JPO; DERWENT	2003/03/21 14:44
-	22295	terminal and lcd	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/21 14:48
-	45	led same pixel same terminal same driver	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/21 16:27
-	135	pixel with switching with (light adj emitting)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/21 16:59
-	2	(pixel with switching with (light adj emitting)) and (signal with coating)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/21 16:57
-	2	(pixel same switching same (light adj emitting)) and (signal with coating)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/21 17:08
-	1162	signal with line with coat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/21 17:10
-	182	(signal with line with coat\$3) and pixel	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/21 17:11

-	108	(signal with line with coat\$3) same pixel	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/21 17:11
-	80	((signal with line with coat\$3) same pixel) and @ad<20001221	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/21 20:26
-	2	6362866.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/21 20:23
-	26383	active adj matrix	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/21 20:25
-	87	signal with line with conductive with coating	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/21 20:26
-	77	(signal with line with conductive with coating) and @ad<20001221	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/23 15:14
-	2	6359320.pn.	USPAT; EPO; JPO; DERWENT	2003/03/23 15:11
-	2576	lcd with (light adj emitting)	USPAT; EPO; JPO; DERWENT	2003/03/23 15:11
-	0	(signal with line with conductive with coating) and @ad<20001221 and (lcd with (light adj emitting))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/23 15:15
-	110	(lcd with (light adj emitting)) same pixel	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/23 15:15
-	1422	pixel and matrix and (switching or transistor) and (light with emit\$4 with organic) and (source or signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/25 17:42
-	5	(pixel and matrix and (switching or transistor) and (light with emit\$4 with organic) and (source or signal)) and ((((\$7plat\$3 or coat\$3) with (source or signal)) same (lower with resistance))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/25 14:57
-	410	(((\$7plat\$3 or coat\$3) with (source or signal)) same (lower with resistance))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/25 15:04
-	32	((((((\$7plat\$3 or coat\$3) with (source or signal)) same (lower with resistance))) and pixel and @ad<20001221	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/25 17:45
-	5	("5793058" "5885859" "5920085" "6081308" "6310670").PN.	USPAT	2003/08/25 16:01
-	1422	pixel and matrix and (switching or transistor) and (light with emit\$4 with organic) and (source or signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/25 17:42
-	9973	(((\$7plat\$3 or coat\$3) with (source or signal)) and pixel and @ad<20001221	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/25 17:46
-	74	(pixel and matrix and (switching or transistor) and (light with emit\$4 with organic) and (source or signal)) and ((((\$7plat\$3 or coat\$3) with (source or signal)) and pixel and @ad<20001221)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/25 17:47

-	3	"011813"	USPAT; EPO; JPO; DERWENT	2003/09/11 17:27
-	0	"20020070382"	USPAT; EPO; JPO; DERWENT	2003/09/11 17:26
-	0	"us2002/0070382"	USPAT; EPO; JPO; DERWENT	2003/09/11 17:27
-	0	"2002/0070382"	USPAT; EPO; JPO; DERWENT	2003/09/11 17:27
-	0	10/011813.ap.	USPAT; EPO; JPO; DERWENT	2003/09/11 17:28
-	3	011813.ap.	USPAT; EPO; JPO; DERWENT	2003/09/11 17:32
-	0	yamazaki and koyama and kuwabara and fujikawa	USPAT; EPO; JPO; DERWENT	2003/09/11 17:33
-	995	yamazaki and koyama	USPAT; EPO; JPO; DERWENT	2003/09/11 17:36
-	0	(yamazaki and koyama) and "semiconductor device and manufacturing method thereof"	USPAT; EPO; JPO; DERWENT	2003/09/11 17:37
-	2	6509616.pn.	USPAT; EPO; JPO; DERWENT	2003/09/17 19:49
-	0	us2001/0010370	USPAT; EPO; JPO; DERWENT	2003/09/17 19:50
-	0	us2001/0010370	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/17 19:50
-	0	2001/0010370	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/17 19:50
-	2	"20010010370"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/17 19:50
-	30	(pixel same (source with plat\$3)) and (organic with light with emit\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 12:34
-	13	((pixel same (source with plat\$3)) and (organic with light with emit\$4)) and @ad<20001221	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 14:10
-	62	(source with plating) and (organic with light with emit\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 12:33
-	31	((source with plating) and (organic with light with emit\$4)) and @ad<20001221	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 12:39
-	596	(source with plat\$3 with signal with line)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 12:37
-	6	((source with plat\$3 with signal with line)) and pixel and (organic with light with emit\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 12:38

-	3	(source with electroplat\$3 with signal with line)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 12:38
-	1477	(source with electroplat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 13:59
-	1	((source with electroplat\$3)) and pixel and (organic with light with emit\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 14:01
-	43	coat\$3 with lower with resistance with source	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 12:39
-	36	(coat\$3 with lower with resistance with source) and @ad<20001221	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 12:52
-	2	6509616.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 12:52
-	1	6509616.pn. and (copper or cu or aluminum or gold or au or silver or ag)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 12:53
-	1580	source with (electroplat\$3 or (electrolytic adj plating))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 14:00
-	2	(source with (electroplat\$3 or (electrolytic adj plating))) and pixel and (organic with light with emit\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 14:08
-	12	(source with (electroplat\$3 or (electrolytic adj plating))) and pixel and organic	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 14:09
-	2	((source with (electroplat\$3 or (electrolytic adj plating))) and pixel and organic) and @ad<20001221	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 15:17
-	2	6359320.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 16:06
-	7	("5471330" "5763301" "5767531" "5818067" "5861656" "6147667" "6246070").PN.	USPAT	2003/09/22 15:50
-	2	6015724.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 16:16
-	5	("4465561" "5440239" "5639344" "5686328" "5736434").PN.	USPAT	2003/09/22 16:07
-	11	"773543"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 16:11
-	2	6509616.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 16:43
-	18	("4918504" "5517342" "5644147" "5757054" "5767926" "5767930" "5856689" "5990491" "5995175" "6088070" "6115094" "6124604" "6160269" "6277679" "6313900" "6358759" "6403395" "6433767").PN.	USPAT	2003/09/22 16:20

-	32	(electrolysis or electrolytic or electroplat\$3) same tft same pixel	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 16:44
-	21	((electrolysis or electrolytic or electroplat\$3) same tft same pixel) and @ad<20001221	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 17:55
-	7	("5086009" "5212575" "5270229" "5650867" "5851918" "6081310" "6319741").PN.	USPAT	2003/09/22 16:48
-	3	("6100194" "6180523" "6207599").PN.	USPAT	2003/09/22 17:15
-	240	electroplat\$3 with source with electrode	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 17:55
-	11	(electroplat\$3 with source with electrode) and pixel	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 17:55
-	5	((electroplat\$3 with source with electrode) and pixel) and @ad<20001221	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 18:13
-	0	2001/0010370	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 18:05
-	47	((electroplat\$3 or coat\$3) with (source or signal)) same ((lower or reduc\$4) with resis\$6) and pixel	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 18:13
-	30	((electroplat\$3 or coat\$3) with (source or signal)) same ((lower or reduc\$4) with resis\$6) and pixel) and @ad<20001221	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 18:13
-	47802	noble adj metals	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 15:51
-	317	(noble adj metals) with electroplating	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 15:56
-	1758	(noble adj metals) with (ta mo cr ti)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/23 15:58
-	5	022262.ap.	USPAT; EPO; JPO; DERWENT	2004/02/27 11:39
-	6	022262.ap.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/27 12:41
-	76	(screen adj print\$3) with conduct\$3 with line with (silver or ag)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/27 13:09
-	62	((screen adj print\$3) with conduct\$3 with line with (silver or ag)) and (@ad<20001221 or @rlad<20001221)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/27 13:10
-	0	((screen adj print\$3) with conduct\$3 with line with (silver or ag)) and (@ad<20001221 or @rlad<20001221)) and pixel and organic and (transistor or switching)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/27 13:11

-	6	((screen adj print\$3) with conduct\$3 with line with (silver or ag)) and (@ad<20001221 or @rlad<20001221)) and pixel	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/27 15:50
-	3	((screen adj print\$3) with (signal or data or power) with (silver or ag)) and (@ad<20001221 or @rlad<20001221)) and pixel	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/27 16:22
-	1	us-0010370-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/27 16:05
-	0	"us2001/0010370"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/27 16:06
-	0	"0010370" and kimura	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/27 16:06
-	72	"0010370"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/27 16:07
-	105143	kimura	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/27 16:07
-	1499	((electroplat\$3 or plat\$3 or coat\$3) with (source or signal or data or row or column)) same ((reduc\$3 or lower\$3) with resistance)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/27 18:41
-	681	((electroplat\$3 or plat\$3 or coat\$3) with (source or signal or data or row or column)) with ((reduc\$3 or lower\$3) with resistance)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/27 16:41
-	3	((electroplat\$3 or plat\$3 or coat\$3) with (source or signal or data or row or column)) with ((reduc\$3 or lower\$3) with resistance)) same pixel same (matrix or array) same (switching or tft)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/27 16:53
-	56	((electroplat\$3 or plat\$3 or coat\$3) with (source or signal or data or row or column)) with ((reduc\$3 or lower\$3) with resistance)) and organic and (silver or ag)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/27 16:22
-	14	((electroplat\$3 or plat\$3 or coat\$3) with (source or signal or data or row or column)) with ((reduc\$3 or lower\$3) with resistance)) and organic and (silver or ag)) and (@ad<20001221 or @rlad<20001221) and pixel	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/27 18:20
-	5	((electroplat\$3 or plat\$3 or coat\$3) with (source or signal or data or row or column)) with ((reduc\$3 or lower\$3) with resistance) same (silver or ag)) and pixel	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/27 16:42
-	24	((electroplat\$3 or plat\$3 or coat\$3) with (source or signal or data or row or column)) with ((reduc\$3 or lower\$3) with resistance) same (silver or ag)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/27 16:49
-	14	((electroplat\$3 or plat\$3 or coat\$3) with (source or signal or data or row or column)) with ((reduc\$3 or lower\$3) with resistance)) same pixel	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/27 16:53
-	440	((electroplat\$3 or plat\$3 or coat\$3) with signal) same ((reduc\$3 or lower\$3) with resistance)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/27 18:18

-	4	((electroplat\$3 or plat\$3 or coat\$3) with signal) same ((reduc\$3 or lower\$3) with resistance)) same tft same pixel	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/27 18:19
-	229319	((electroplat\$3 or plat\$3 or coat\$3) with signal) same ((reduc\$3 or lower\$3) with resistance)) and tft snd pixel	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/27 18:19
-	17	((electroplat\$3 or plat\$3 or coat\$3) with signal) same ((reduc\$3 or lower\$3) with resistance)) and tft and pixel	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/27 18:42
-	11	((electroplat\$3 or plat\$3 or coat\$3) with signal) same ((reduc\$3 or lower\$3) with resistance)) and tft and pixel) and (@ad<20001221 or @rlad<20001221) and pixel	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/27 18:44
-	55	((electroplat\$3 or plat\$3 or coat\$3) with address) same ((reduc\$3 or lower\$3) with resistance)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/27 18:44
-	1	((electroplat\$3 or plat\$3 or coat\$3) with address) same ((reduc\$3 or lower\$3) with resistance)) and tft and pixel	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/27 18:42
-	5	((electroplat\$3 or plat\$3 or coat\$3) with address) same ((reduc\$3 or lower\$3) with resistance)) and pixel	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/27 18:43
-	68	((electroplat\$3 or plat\$3 or coat\$3) with electrode) same ((reduc\$3 or lower\$3) with resistance) and tft and pixel	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/27 18:46
-	47	((electroplat\$3 or plat\$3 or coat\$3) with electrode) same ((reduc\$3 or lower\$3) with resistance) and tft and pixel) and (@ad<20001221 or @rlad<20001221) and pixel	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/27 18:47
-	59	((electroplat\$3 or plat\$3 or coat\$3) with electrode) same ((reduc\$3 or lower\$3) with resistance) same (tft or pixel)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/27 18:47
-	39	((electroplat\$3 or plat\$3 or coat\$3) with electrode) same ((reduc\$3 or lower\$3) with resistance) same (tft or pixel)) and (@ad<20001221 or @rlad<20001221) and pixel	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/27 18:47